

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: CUSTOMFLEX ADDITIVE  
PRODUCT CODE: 3034

HMIS CODES: H F R P  
0 0 0

=====  
SECTION I - MANUFACTURER IDENTIFICATION  
=====

MANUFACTURER'S NAME: Custom Building Products, Inc.  
ADDRESS: 6511 SALT LAKE AVE., BELL, CA. 90201  
EMERGENCY PHONE: (323) 582-0846 INFORMATION PHONE: (323) 582-0846  
DATE REVISED : 06-05-03 NAME OF PREPARER : STEVE TAYLOR

=====  
SECTION II - INGREDIENTS/SARA III INFORMATION  
=====

HAZARDOUS COMPONENTS	CAS NUMBER	OCCUPATIONAL EXPOSURE LIMITS		VAPOR PRESSURE mm Hg @ TEMP	Wt. %
		OSHA PEL	ACGIH TLV		
-----					

\*\*\* NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT \*\*\*

=====  
SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS  
=====

BOILING RANGE: N/A SPECIFIC GRAVITY (H2O=1): 1.0  
VAPOR DENSITY: HEAVIER THAN AIR EVAPORATION RATE: SLOWER THAN ETHER  
SOLUBILITY IN WATER: EMULSION  
APPEARANCE AND ODOR: MILKY WHITE LIQUID EMULSION

=====  
SECTION IV - FIRE AND EXPLOSION HAZARD DATA  
=====

FLASH POINT: N/A  
FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A UPPER: N/A

EXTINGUISHING MEDIA: WATER FOG

SPECIAL FIREFIGHTING PROCEDURES  
NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS  
DRIED FILM IS COMBUSTIBLE SIMILAR TO WOOD. BURNING DRY RESINS EMITS DENSE,  
BLACK SMOKE.

=====  
SECTION V - REACTIVITY DATA  
=====

STABILITY: STABLE

CONDITIONS TO AVOID  
NONE

INCOMPATIBILITY (MATERIALS TO AVOID)  
ADDITION OF CHEMICALS MAY CAUSE COAGULATION.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS  
IF BURNED, PRODUCES CARBON MONOXIDE AND HYDROCARBONS.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR  
NONE

=====  
SECTION VI - HEALTH HAZARD DATA  
=====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
NO ADVERSE EFFECTS ARE ANTICIPATED.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
SKIN: PROLONGED OR REPEATED MAY CAUSE IRRITATION.  
EYE: MAY CAUSE SLIGHT EYE IRRITATION.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
ABSORPTION THRU SKIN IS UNLIKELY DUE TO PHYSICAL PROPERTIES OF EMULSION.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
SINGLE DOSE ORAL TOXICITY IS LOW.

HEALTH HAZARDS (ACUTE AND CHRONIC)  
NO SPECIFIC DATA AVAILABLE, HOWEVER, REPEATED EXPOSURES ARE NOT ANTICIPATED TO  
CAUSE ANY SIGNIFICANT ADVERSE PROBLEMS.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO  
NOT LISTED BY NTP, IARC, OR OSHA AS CONTAINING CARCINOGENS.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE  
NONE

EMERGENCY AND FIRST AID PROCEDURES  
EYE CONTACT: IRRIGATE IMMEDIATELY WITH WATER FOR AT LEAST 5 MINUTES.  
SKIN CONTACT: WASH OFF WITH SOAP AND WATER.  
INHALED: NO ADVERSE EFFECTS ANTICIPATED.

SWALLOWED: NO ADVERSE EFFECTS ANTICIPATED.

=====  
SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE  
=====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED  
FLUSH AREA WITH WATER IMMEDIATELY. AVOID UNNECESSARY EXPOSURE AND CONTACT.

## WASTE DISPOSAL METHOD

DO NOT FLUSH INTO SEWERS. CAPTURE SPILLS AND BURY IN AN APPROVED LAND FILL OR  
BURN SOLID WASTES IN ADEQUATE INCENERATOR.

## PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

STORE AT TEMPERATURES BETWEEN 40 DEGREES F AND 110 DEGREES F.

## OTHER PRECAUTIONS

NONE

=====  
SECTION VIII - CONTROL MEASURES  
=====

## RESPIRATORY PROTECTION

FOR MOST CONDITIONS, NO RESPIRATORY PROTECTION SHOULD BE NEEDED, HOWEVER, IN  
MISTY ATMOSPHERES USE APPROVED MIST RESPIRATOR.

## VENTILATION

NORMAL VENTILATION IS ADEQUATE.

## PROTECTIVE GLOVES

CHEMICAL RESISTANT GLOVES ARE RECOMMENDED.

## EYE PROTECTION

USE SAFETY GLASSES.

## OTHER PROTECTIVE CLOTHING OR EQUIPMENT

WEAR CLEAN, LONG SLEEVED, BODY COVERING CLOTHING.

## WORK/HYGIENIC PRACTICES

GOOD HOUSEKEEPING PRACTICES SHOULD BE ENFORCED.

=====  
SECTION IX - DISCLAIMER  
=====

## DISCLAIMER

THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED  
TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO  
CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE,  
AND SUITABLE TO THEIR CIRCUMSTANCES.